

OUR HISTORY



The Cheval Liberté brand was created in 1995 by Denis Rulquin (1949-2006), a professional in the trailer sector and founder of the group, with the objective of delivering quality products that meet customer expectations.

As they were passionate riders and breeders, the Rulquin family's manufacturing activities were naturally oriented towards the equestrian world.

As riders, breeders and the initial users of Cheval Liberté products, the family places particular emphasis on designing and developing innovative products.

Today with over 27 years of experience to its name and under the running of Gregory Rulquin,







1995

CREATION OF CHEVAL LIBERTÉ

The first steps...

1998

2002 XL

The Cheval Liberté range comes into being with its best-seller the 2002 XI

200

THE BRAND

New trailers, new logo 2004

SUSPENSION PULLMAN

Advancing technology Technology comfort - safety 2006

4004, THE 4-STALL

The 4-stall trailer for equestrian and horse transport professionals

2009

GOLD AND ALULINE

New range, new material Cheval Liberté is a European leader in the horse trailer and equestrian buildings sector. With their recognised "savoir-faire", Cheval Liberté's design teams focus on creating modern, functional and robust products. From technological mastery to personalised marketing, Cheval Liberté's products are created with horse and rider very much in mind.

DRIVEN BY INNOVATION AND CREATED BY EQUESTRIAN PROFESSIONAL, DESIGN, QUALITY AND SAFETY ARE AT THE HEART OF OUR TRAILERS. THE CHEVAL LIBERTÉ COMPANY INFRASTRUCTURE IS ROOTED FROM A PERFECT COLLABORATION OF OUR SKILLS AND EXPERIENCE.



2011

PULLMAN 2 GENERATION

Performance control

2013

MINIMAX & OPTIMAX

A new alternative to lorry transport

2017

TOURING CONCEPT

One model...

3 transport solutions

2019

GOLD 3

Must have

2020

MAXI

t have 2.3.4 horses

2021

MULTIMAX

Ergonomics

2022

TOURING JUMPING

For challengers



« COMPARE AND TEST DRIVE! EASY TO TOW.

WARNING, YOU MIGHT FORGET THAT YOU'VE GOT A TRAILER ATTACHED. »

Cheval Liberté is the only manufacturer to produce its own singlepiece chassis. Developed by our design teams, the lowered chassis has a centre of gravity that sits as close as possible to the road for optimum balance control of your trailer.

PULLMAN 2 SUSPENSION

« FREE YOURSELF FROM THE STRESSES OF TRAILER TRANSPORT...
PERFECT ROAD-HANDLING CONTROL. »

Closer to car technology, the Pullman 2 suspension consists of 4 galvanised steel independent articulated arms with 4 torsion springs and 4 dampers. This technology ensures unbeatable road-holding capacities. Our factory is equipped with the latest generation laser tooling, enabling the entire loading sill of the trailer to be lowered.




LOWERED CHASSIS A SOLUTION TO SAFETY



Result: no incline, no "step", but a flat surface that is very comfortable for your horse. With a redu-ced floor height of 30 cm, you won't have a problem loading your horses. The Pullman 2 suspension greatly reduces box movement, muffles transport noise and absorbs the bumps in the road.

SAFETY

Safety elements such as brakes, suspension, wheels and accessories are all officially approved and regularly checked. Our trailers have European approval. Our trailers have a 2-year parts and labour guarantee and a 5-year guarantee for the aluminium planking and sides.



RAMP-DOOR

EXCLUSIVE TO CHEVAL LIBERTÉ







« FROM 1 TO 4 PLACES, 12 DIFFERENT MODELS FOR EVERY KIND OF USERS. »

YEARS OF RESEARCH AND DEVELOPMENT HAVE ENABLED US TO PERFECT AND PATENT A UNIQUE ASSEMBLY METHOD

CONSTRUCTION

Today this patent means that we can design and develop trailers that are more solid, more lightweight and with outstanding road-holding capacities!

EQUIPMENT

Right from the basic versions, our trailers are equipped to guarantee the best comfort and safety conditions.

VENTILATION

Never too hot or too cold, simply well-ventilated, our trailers are equipped with air-circulation accessories for your horses' maximum comfort during transport.

THE LOOK

Cheval Liberté trailers have an aerodynamic, modern, flowing design. The aerodynamics contribute to a significant reduction in towing vehicle fuel consumption.

Taken by a particular colour or want to match it with your car? Choose your favourite colour option from black, light grey, blue, white and charcoal grey...





MATERIALS

We use materials that are reputed for their technical qualities



▶ 18 mm anodized aluminium for the sides





► Reinforced fiberglass



► Hot-dipped galvanised steel




► Vulcanised rubber

	Gold One	Touring One	Gold First	Gold 2	Gold 3	Touring Country
Construction	Plywood Aluminium Fiberglass	Aluminium Fiberglass	Plywood Fiberglass	Aluminium Fiberglass	Aluminium Fiberglass	Aluminium Fiberglass
Suspension	PULLMAX 2	PULLMAN 2	Axles	PULLMRX 2	PULLMAN 2	PULLMRX 2
Saddle room	Optional	-	Optional	Optional	Standard	Optional
Front ramp	-	Standard	-	-	-	Standard
Ventilation	2 windows 1 roof vent* Automatic roller	2 windows 2 lateral windows Automatic roller	2 windows 1 roof vent* Automatic roller	2 windows 2 lateral windows* Automatic roller	2 windows 2 lateral windows Automatic roller	2 windows 2 lateral windows Automatic roller
Opening	Rear ramp-door	Rear ramp-door Front ramp	Rear ramp-door	Rear ramp-door	Rear ramp-door	Rear ramp-door or double doors* Front ramp
M.G.W.	From 1100 to 1600 Kg	From 1100 to 1600 Kg	From 1100 to 2000 Kg	From 1100 to 2600* Kg	From 1400 to 2600 Kg	From 1100 to 2600* Kg
Horses						
Pages	12/13	14/15	16/17	18/19	20/21	22/23

Touring Jumping	Multimax	Hippomobile	Maxi 2	Maxi 3	Maxi 4
Aluminium Fiberglass	Aluminium Fiberglass	Aluminium Fiberglass	Aluminium Fiberglass	Aluminium Fiberglass	Aluminium Fiberglass
PULLMAN 2	PULLMAN 2	PULLMAX 2	PULLMON 2	PULLMAN 2	PULLMEN 2
Standard	Standard	Optional	Standard	Standard	Standard
		-	Standard	Standard	Standard
2 windows 2 lateral windows Automatic roller	4 windows Automatic roller	2 windows 1 roof vent Automatic roller	4 Windows Automatic roller	5 to 7 windows* 2 roof vents* Automatic roller	7 to 9 windows* 2 roof vents* Automatic roller
Rear ramp-door or double doors*	Rear ramp-door	Rear ramp-door	Rear ramp-door Front ramp	Large front ramp Rear ramp-door or double doors*	Large front ramp Rear ramp-door or double doors*
From 1100 to 2600* Kg	From 1400 to 2600 Kg	From 1400 to 2600 Kg	From 1400 to 2600 Kg	From 2700 to 3500 Kg	From 2700 to 3500 Kg














24/25 26/27 28/29 30/31 32/33 34/35



GOLD ONE

1 1/2 HORSE TRAILER











Colors





- Reinforced fiberglass roof and front
- Plywood or Aluminium side walls
- Alu floor + Rubber mat 8 mm
- Aluminium two-way rear opening door/ ramp with automatic roller
- Inspection door
- 2 adjustable breast and breech bars
- Automatic jockey wheel
- Quick release breast bar tie ring
- Side cushions
- Kickboards
- Inside light
- Automatic jockey wheel with handle
- Spare wheel + holder and cover



Saddle room, Roof vent



Total Lenght

Total Width

Total Heigth

Inside Length

Inside Width

Inside Heigth

Empty Weight

M.G.W

4.52 m

1,84 m

2,70 m

3,18 m

1,40 m

2,30 m

685 Kg

1 600 Kg











TOURING ONE

1 1/2 HORSE TRAILER

















Total Lenght 4.52 m **Total Width** 1,84 m Takal I latakla m m m Kg 0 Kg kg

2,70	lotal Heigth
3,18	Inside Length
1,40	Inside Width
2,30	Inside Heigth
745 k	Empty Weight
1 600	M.G.W
835 k	Payload







■ Reinforced fiberglass roof and front

■ Aluminium two-way rear opening door/

■ 2 adjustable breast and breech bars

■ Automatic jockey wheel with handle

■ Quick release breast bar tie ring

■ Side cushions, kickboards, inside light ■ Wheels 185/65R14 with steel rims

■ Alu floor + Rubber mat 8 mm

ramp with automatic roller

■ 4 sliding windows

Spare wheel & holder

⊕ Extra








GOLD **FIRST**

2 HORSE TRAILER







- Strong chassis with classic axles
- Reinforced fiberglass roof
- 18mm plywood side walls
- Plywood floor 21mm + rubber mat 8 mm
- Wood two-way rear opening door/ramp with automatic roller
- Quick release breast bar tie ring
- 2 front windows
- Central partition + breast and breech bars
- Automatic jockey wheel
- Inside light



Saddle room, shock absorbers, head partition, spare wheel &holder



Comfort Pack Lateral cushions Kickboards Roof vent



Pack Premium


Comfort Pack + Alufloor



Fiberglass












GOLD 2

2 HORSE TRAILER

















- Reinforced fiberglass roof and front
- Aluminium side walls
- Alu floor + Rubber mat 8 mm
- Aluminium two-way rear opening door/ ramp with automatic roller
- Automatic jockey wheel
- 2 front windows
- Central partition + breast and breech bars adjustable
- Quick release breast bar tie ring
- Side cushions, kickboards, inside light
- Automatic jockey wheel with handle
- Spare wheel + holder + cover



Saddle room, head partition

4,47 m	Total Lenght
2,15 m	Total Width
2,70 m	Total Heigth
3,05 m	Inside Length
1,67 m	Inside Width
2,30 m	Inside Heigth
750 Kg	Empty Weight
2 000 Kg (2 600 Kg as extra)	M.G.W
1 250 kg	Payload



Colors












GOLD 3

2 HORSE TRAILER















- Pullman 2 suspension low-profile chassis
- Reinforced fiberglass roof and front
- Aluminium side walls
- Large inspection door
- Alu floor + Rubber mat 8 mm
- Aluminium two-way rear opening door/ramp with automatic roller
- Automatic jockey wheel
- Central partition + breast and breech bars adjustable
- Quick release breast bar tie ring
- Side cushions, kickboards, inside light
- Automatic jockey wheel with handle
- 4 Sliding windows
- Wheels 185/65R14 with steel rims

Extra

Head partition, Spare wheel

4,43 m	Total Lenght
2,11 m	Total Width
2,67 m	Total Heigth
3,20 m	Inside Length
1,67 m	Inside Width
2,30 m	Inside Heigth
825 Kg	Empty Weight
2 600 Kg	M.G.W
1 775 kg	Payload















TOURING COUNTRY

2 HORSE TRAILER



















- Pullman 2 suspension low-profile chassis
- Reinforced fiberglass roof and front
- Aluminium side walls
- Large inspection door
- Alu floor + Rubber mat 8 mm
- Large front unloading ramp 1,10m
- Aluminium two-way rear opening door/ramp with automatic roller
- Large opening flap above the front ramp
- Removable aluminum central partition including head divider
- Breast and breech bars adjustable
- Quick release breast bar tie ring
- 4 sliding windows
- Kickboards, side cushions, inside light
- Automatic jockey wheel with handle
- Wheels 185/65R14 with steel rims

•	Extra

Front saddle room, Spare wheel, Rear double doors & windows, Lateral tie bar



4,47 m	Total Lenght
2,15 m	Total Width
2,68 m	Total Heigth
3,20 m	Inside Length
1,67 m	Inside Width
2,30 m	Inside Heigth
850 Kg	Empty Weight
2 600 Kg	M.G.W
1 750 kg	Payload










TOURING JUMPING

2 HORSE TRAILER















- Reinforced fiberglass roof and front
- Aluminium side walls
- Aluminium floor + rubber mat 8mm
- Aluminium two-way rear opening door/ramp with automatic roller
- Large built-in tack room with 2 doors for easy access with top box storage incl. as standard
- 2 full height groom door
- Removable aluminium central partition with head divider and ABS plastic sheet as standard
- 4 sliding windows
- Breast and breech bars adjustable
- Quick release breast bar tie ring
- Kickboards, side cushions, inside light
- Automatic jockey wheel
- Wheels 185/65R14 with steel rims



0	lorc.
CO	1015





4,47 m	Total Lenght
2,15 m	Total Width
2,68 m	Total Heigth
3,20 m	Inside Length
1,67 m	Inside Width
2,30 m	Inside Heigth
850 Kg	Empty Weight
2 600 Kg	M.G.W
1 750 Kg	Payload












MULTI MAX

2 HORSE TRAILER















- Pullman 2 suspension low profile chassis
- Reinforced fiberglass roof and front
- Aluminium side walls
- Large inspection door
- Aluminium floor + Rubber mat 8mm
- Large room to carry 2 large horses
- 4 sliding windows
- Huge adjustable saddle room
- Aluminium two-way rear opening door/ramp with automatic roller
- Tie bar on the right side
- Spare wheel in the saddle room
- Central partition with head divider as grill
- Automatic jockey wheel with handle
- Breast and breech bars adjustable
- Quick release breast bar tie ring
- Side cushions
- Kickboards
- Inside light

Extra

Second tie bar on the left side









Total Lenght	5,03 m
Total Width	2,29 m
Total Heigth	2,68 m
Inside Length	3,78 m
Inside Width	1,81 m
Inside Heigth	2,30 m
Empty Weight	970 Kg
M.G.W	2 600 Kg
Payload	1 620 kg










HIPPO MOBILE

2 HORSE TRAILER



















■ Strong aluminium platform for carriage including ramps, loading capacity up to 300kg

■ Reinforced fiberglass roof

- Aluminium side walls
- Inspection door
- Alu floor + Rubber mat 8 mm
- Aluminium two-way rear opening door/ramp with automatic roller
- Automatic jockey wheel with handle
- Central partition + breast and breech bars adjustable
- Quick release breast bar tie ring
- Roof vent
- Side cushions
- Kickboards
- Inside light
- Inside light
- Spare wheel + holder + cover

Extra

Saddle room, head partition







Total Lenght

Total Width

Total Heigth

Inside Length

Inside Width

Inside Heigth

Empty Weight

M.G.W

Payload

5.99 m

2.15 m

2,75 m

3,05 m

1.67 m

2,30 m

915 Kg

2600 Kg

1 685 kg










MAXI 2

2 HORSE TRAILER
















- \blacksquare Reinforced fiberglass roof and front
- Diagonal Loading
- Large built-in saddle room
- Telescopic partition
- Rear breech bar
- Large inspection door
- Aluminium two-way rear opening door/ramp with automatic roller
- Aluminium floor with 8mm rubber mat
- Front unloading ramp & opening flap with sliding window
- Slide opening flap
- 4 Sliding windows
- Automatic Jockey Wheel with handle
- Outside stainless steel tie bar
- Quick release breast bar tie ring
- Spare wheel fitted in saddle room
- 185/65R14 Wheels with ABS mudguards

Extra

Second lateral stainless steel tie bar, left side Second partition, Aluminium stallion partition







Total Lenght

Total Width

Total Heigth

Inside Length

Inside Width

Inside Heigth

Empty Weight

M.G.W

5.03 m

2.29 m

2,68 m

3.78 m

1.81 m

2,30 m

970 Kg

2600 Kg










MAXI 3

3 HORSE TRAILER















- Diagonal loading : comfort and safety
- Huge saddle room and front unloading ramp
- 2 adjustable sliding partitions
- Reinforced fiberglass roof and front nose
- Aluminium side walls
- lacksquare Side flap with 5 sliding windows
- Alu floor + Rubber mat 8 mm
- Aluminium two-way rear opening door/ramp with automatic roller
- Stainless steel tie bar
- Quick release breast bar tie ring
- Side cushions, kickboards, inside light
- Spare wheel



Horse covers rack, rear double doors & windows, 2 roof vents, second tie bar outside

Total Lenght	5,54 m
Total Width	2,34 m
Total Heigth	2,72 m
Inside Length	4,28 m
Inside Width	2,07 m
Inside Heigth	2,30 m
Empty Weight	1 320 Kg
M.G.W	3 500 Kg
Payload	1 720 kg


















MAXI 4

4 HORSE TRAILER











Colors







- Extra large volume
- Huge saddle room + Large front unloading
- Diagonal loading : comfort and safety
- 3 adjustable sliding partitions
- Reinforced fiberglass roof and front nose
- Aluminium side walls
- Side flap with 7 sliding windows
- Alu floor + Rubber mat 8 mm
- Storage corner
- Aluminium two-way rear opening door/ramp with automatic roller
- Stainless steel tie bar
- Quick release breast bar tie ring
- Side cushions, kickboards, inside light
- Spare wheel




Horse covers rack, rear double doors & windows, 2 roof vents, second tie bar outside



Lenght 6,24 m	Total Lenght
Width 2,32 m	Total Width
Heigth 2,92 m	Total Heigth
Length 4,78 m	Inside Length
Width 2,07 m	Inside Width
Heigth 2,30 m	Inside Heigth
Weight 1 470 Kg	Empty Weight
M.G.W 3 500 Kg	M.G.W
ayload 1 990 kg	Payload











OPTIONALS EXTRA

FACTORY ASSEMBLED

INDIVIDUAL SADDLE ROOM




- Lockable door
- Saddle holder
- Briddle holder

ALUMINIUM FLOOR



TAIL GATE







For Touring, Gold 3, Multimax, Maxi 2, 3, 4 (sandwich)

ALUMINIUM RIMS

14'





EXTRA LOAD CAPACITY

MGW 2000kg > 2600kg





Mirror

• Documents holder



Lateral cushions Kickboards Roof vent



Comfort Pack + Alufloor

ACCESSORIES

HEAD PARTITION



Galvanized steel

SPARE WHEEL



• With cover and holder

STAINLESS STEEL LATERAL TIE BAR





- TACK PACK
 - 2 saddle holders
 - Briddle holder
 - 2 drawers



- EXTRA RUBBER
 MAT
 - Size ·
 - 18 mm thick
 - 165 x 125 mm



BLACK LATERAL TIE BAR



- KIT FOR 2 SMALL HORSES
- For Gold One
- Middle partition
- 4 Bars
- Loose only



SAFETY LOCKER



CARRIAGE+ V SHAFT HOLDERFor hippomobile



FOAL GRILL

1,67 m width

horse trailers





debon-trailers.com











A LARGE AND MODERN RANGE OF BOX-VANS AND AND TIPPERS THAT MEET ALL YOUR EXPECTATIONS!











ENGLISH SPOKEN
WIR SPRECHEN DEUTSCH
PARLIAMO ITALIANO
HABLAMOS ESPAÑOL



TECHNOLOGY • SAFETY • COMFORT

CHEVAL LIBERTÉ
Route de St Baslemont 88800 LIGNEVILLE

≥ BP 10117 - 88804 VITTEL Cedex - France

+33(0) 329 08 83 93

@ sales3@clib.fr



